CLAIMS

5

1. A cordless power tool comprising:

a cordless power tool having a housing including a mechanism for coupling with a removable battery pack;

said removable battery pack comprising a housing with one or more cells in said housing, a vent system in said battery pack housing for enabling fluid passage through said housing; and

a mechanism associated with said battery pack for dissipating heat from said battery pack.

- 2. The cordless tool according to Claim 1, wherein said mechanism includes fluid directors for moving fluid to said one or more cells.
- 3. The cordless tool according to Claim 1, wherein said mechanism includes a heat sink for dissipating heat from said one or more cells.
- 4. The cordless tool according to Claim 1, wherein said mechanism includes a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.
- 5. The cordless tool according to Claim 4, wherein said fan is in said tool housing.
- 6. The cordless tool according to Claim 4, wherein said fan is in said battery pack housing.

- 7. The cordless tool according to Claim 1, further comprising a battery charger for charging said battery pack, said battery recharger having a mechanism for moving fluid through said vent system of said battery pack housing.
- 8. The cordless tool according to Claim 7, wherein said charger includes a fan for forcing fluid through said vent system.
- 9. The cordless tool according to Claim 7, wherein said battery pack housing has a fan and said charger has a vent system enabling fluid to be passed through said battery pack vent system.
- 10. The cordless tool according to Claim 7, wherein said charger includes a vent system and an auxiliary fan is coupled with said charger or battery pack housing for moving fluid through said battery pack housing.
- 11. The cordless tool according to Claim 1, further including a heat pump for providing cooling and heating of said one or more cells in said battery pack housing.
- 12. The cordless tool according to Claim 1, wherein said mechanism includes a sensor for sensing temperature of said one or more cells and a heat dissipator for equalizing the temperature of said plurality of cells.

- 13. The cordless tool according to Claim 12, said heat dissipator wicks heat from hotter cells to ambient or to other cells to equalize cell temperature.
- 14. The cordless tool according to Claim 1, wherein said mechanism includes fluid directors for moving fluid around higher temperature cells of said one or more cells and a heat sink for dissipating heat from higher temperature cells of said one or more cells.
- 15. The cordless tool according to Claim 1, wherein said mechanism includes fluid directors for moving fluid around higher temperature cells of said plurality of cells and a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.
- 16. The cordless tool according to Claim 1, wherein said mechanism includes a heat sink for dissipating heat from higher temperature cells of said one or more cells and a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.
- 17. The cordless tool according to Claim 15, wherein said fan is in said tool housing.
- 18. The cordless tool according to Claim 16, wherein said fan is in said tool housing.

- 19. The cordless tool according to Claim 15, wherein said fan is in said battery pack housing.
- 20. The cordless tool according to Claim 16, wherein said fan is in said battery pack housing.
- 21. The cordless tool according to Claim 14, further comprising a battery charger for charging said battery pack, said battery charger having a mechanism for moving fluid through said vent system of said battery pack housing.
- 22. The cordless tool according to Claim 21, wherein said charger includes a fan for forcing fluid through said vent system.
- 23. The cordless tool according to Claim 14, wherein said battery pack housing has a fan and said charger has a vent system enabling fluid to be passed by said one or more cells.
- 24. The cordless tool according to Claim 14, wherein said charger includes a vent system and an auxiliary fan is coupled with said charger or battery pack housing for moving fluid through said battery pack.

- 25. The cordless tool according to Claim 15, further comprising a battery charger for charging said battery pack, said battery charger having a mechanism for moving fluid through said vent system of said battery pack housing.
- 26. The cordless tool according to Claim 16, further comprising a battery charger for charging said battery pack, said battery charger having a mechanism for moving fluid through said vent system of said battery pack housing.

27. A removable battery pack comprising:

5

a housing with one or more cells in said housing, a vent system in said housing for enabling fluid passage through said housing; and

a mechanism associated with said battery pack for dissipating heat in said battery pack housing.

- 28. The removable battery pack according to Claim 27, wherein said mechanism includes fluid directors for moving fluid to said one or more cells.
- 29. The removable battery pack according to Claim 27, wherein said mechanism includes a heat sink for dissipating heat from said one or more cells.

- 30. The removable battery pack according to Claim 27, wherein said mechanism includes a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.
- 31. The removable battery pack according to Claim 27, further including a heat pump for providing cooling and heating of said one or more cells in said battery pack housing.
- 32. The removable battery pack according to Claim 27, wherein said mechanism includes a sensor for sensing temperature of said one or more cells and a heat dissipator for equalizing the temperature of said plurality of cells.
- 33. The removable battery pack according to Claim 27, wherein said mechanism includes fluid directors for moving fluid around higher temperature cells of said one or more cells and a heat sink for dissipating heat from higher temperature cells of said one or more cells.
- 34. The removable battery pack according to Claim 27, wherein said mechanism includes fluid directors for moving fluid around higher temperature cells of said plurality of cells and a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.

35. The removable battery pack according to Claim 27, wherein said mechanism includes a heat sink for dissipating heat from higher temperature cells of said one or more cells and a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.

36. A battery charger comprising:

a housing;

5

a mechanism for electrically coupling with a chargeable battery;

a power source coupled with said mechanism; and

a mechanism in the housing for moving fluid through a vent system of a battery pack.

- 37. The battery charger according to Claim 36, wherein said charger includes a fan for forcing fluid through said vent system.
- 38. The battery charger according to Claim 36, wherein said charger includes a vent system and an auxiliary fan is coupled with said charger or battery pack housing for moving fluid through said battery pack housing.

39. An auxiliary fluid mover for cooling a rechargeable battery pack, comprising:

a housing;

5

10

a mechanism for electrically coupling with a battery pack, said mechanism coupled with said housing;

a mechanism for electrically coupling with a charger, said mechanism coupled with said housing;

a vent system for directing fluid to a battery pack; and
a mechanism for moving fluid through said housing into a battery
pack.

- 40. The auxiliary fluid mover according to Claim 39, further including a heat pump for providing cooling and heating of said one or more cells in said battery pack housing.
- 41. The auxiliary fluid mover according to Claim 39, wherein said mechanism includes a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.
- 42. The auxiliary fluid mover according to Claim 40, wherein said mechanism includes a fan for forcing fluid through said vent system to dissipate heat from the battery pack housing.

43. A cordless power tool comprising:

5

a cordless power tool having a mechanism for coupling with a removable battery pack;

said removable battery pack comprising a housing with a plurality of cells in said housing; and

a mechanism in said housing coupled with said plurality of cells for equalizing temperature of said plurality of cells.

- 44. The cordless tool according to Claim 43, wherein said mechanism coupled with said cells including a heat sink for equalizing temperature of said cells in said housing.
- 45. The cordless tool according to Claim 44, wherein said heat sink has an increased concentration in area having higher temperature cells.
- 46. The cordless tool according to Claim 45, wherein said heat sink includes a thermal conductive medium surrounding said cells, a base, and fins.
- 47. The cordless tool according to Claim 44, wherein said battery pack housing includes apertures for dissipating heat.

48. A removable battery pack comprising:

5

a cordless power tool having a mechanism for coupling with a removable battery pack;

said removable battery pack comprising a housing with a plurality of cells in said housing; and

a mechanism in said housing coupled with said plurality of cells for equalizing temperature of said plurality of cells.

- 49. The removable battery pack according to Claim 48, wherein said mechanism coupled with said cells including a heat sink for equalizing temperature of said cells in said housing.
- 50. The removable battery pack according to Claim 49, wherein said heat sink has an increased concentration in area having higher temperature cells.
- 51. The removable battery pack according to Claim 50, wherein said heat sink includes a thermal conductive medium surrounding said cells, a base, and fins.
- 52. The removable battery pack according to Claim 49, wherein said battery pack housing includes apertures for dissipating heat.

53. A battery pack temperature change mechanism comprising: a housing;

a mechanism in the housing for moving fluid through a vent system of a battery pack; and

5

a power source coupled with said fluid moving mechanism.

- 54. The battery pack temperature change mechanism according to Claim 53, wherein said fluid moving mechanism includes a fan for forcing fluid through said vent system.
- 55. The battery pack temperature change mechanism according to Claim 53, wherein said fluid moving mechanism includes a vent system in said housing.
- 56. The battery pack temperature change mechanism according to Claim 53, further comprising a switch for activating the fluid moving mechanism.
- 57. The battery pack temperature change mechanism according to Claim 56, wherein said switch is manually activated.
- 58. The battery pack temperature change mechanism according to Claim 56, wherein said switch is automatically activated when said battery pack is coupled with said housing.